



New Generation Network Analyzers

- MPR - 1 Series
- MPR - 2 Series
- MPR - 3 Series
- MPR - 4 Series





MPR-1 Series Power Analyzer / Transducer

MPR-1 Series **DIN type** power analyzers are designed for the measurement of electrical parameters on machines and floor panels. By means of its **design without a screen**, it is a **cost-effective** measurement device series for energy monitoring software.

Thanks to **communication feature** of devices, energy measurements can be monitored from a single monitoring center. MPR-1 and MPR-2 series can detect the status of devices in the field with digital inputs and outputs, therefore provides control (breakers, switches, contacts, etc.).



MPR-2 Series New Generation Network Analyzers

MPR-2 Series **DIN type** network analyzers are designed for detailed measurement and analysis of electrical parameters. Real-time monitoring is supported via **large graphic screen**.



Monitor

Monitor production processes in real time and track production costs.



Measure

Measure and record operation times and total energy costs of your production.

THE **plug&meter** TECHNOLOGY CONNECTS 3-PHASE CURRENT TRANSFORMER AND ANALYZERS WITH A RJ45 CABLE WITHOUT THE NEED OF SCREWING. THE **plug&meter** TECHNOLOGY PROVIDES QUICK AND EASY INSTALLATION IN ELECTRICAL CONTROL PANELS.



MPR-3 Series New Generation Mini Network Analyzers

MPR-3 Series **panel type** mini network analyzers are developed for panels **where mounting space matters** and they are compact solutions for detailed measurement and analysis of electrical parameters.

Occupies less space with its **72 x 72 x 50 mm dimensions** on rack type panels used in applications such as UPS, machine control panels, security control rooms, information processing and systems rooms.

MPR-3 Series can detect the status of devices in the field with digital inputs and outputs, therefore provides control (breakers, switches, contacts, etc.).

MPR-4 Series New Generation Network Analyzers

MPR-4 Series **panel type** network analyzers are compact solutions with their **96 x 96 x 45 mm** dimensions designed for detailed measurement and analysis of electrical parameters. It has wide operating voltage range of 45-300 VAC/DC.

Devices with **internal memory up to 16 MB** offer a **wide range of I/O solutions with their replaceable modular structure** depending on requirements and areas of use. Therefore they provide detection and control of devices in the field.

*Real-time monitoring is possible via **large LCD screen**. Thanks to **communication feature** of MPR-3 and MPR-4 series, energy measurements can be monitored easily from a single monitoring center.*



Analyze

Make use of many parameters that MPR series measure to increase energy efficiency.



And Much More

Check device inputs-outputs and customize your devices with Entbus or Energy Doctor using different connection options.

HEADQUARTERS

Address: Dudullu OSB; 1. Cadde; No: 23
34776 Ümraniye - İSTANBUL / TÜRKİYE

Tel: +90 216 313 01 10

Fax: +90 216 314 16 15

Sales Fax: +90 216 365 71 71

E-mail: impex@entes.com.tr

Web: www.entes.com.tr

E-bulletin membership: ebulten@entes.com.tr

Coordinates: 40,995852 N, 29,178398 E

INTERNATIONAL BRANCH OFFICES

İSTANBUL : impex@entes.com.tr
Tel: +90 216 313 01 10
Fax: +90 216 314 16 15

NETHERLANDS : info@entes.eu
Tel: +31 412 - 644319

GREECE : infohellas@entes.eu
Tel: +30 2310 706999
+30 2310 707296